




NEW! Power Dye Sub On-A-Roll® Lifter & Spindle Trolley

The **Power Dye Sub On-A-Roll® Lifter and Spindle Trolley** are essential tools for streamlining the handling of freshly printed rolls of fabric and transfer paper in the dye sublimation printing process. The system eliminates the need for multiple personnel, as one individual can operate it.

Foster's motorized Lifter and Spindle Trolley work in tandem to prevent ink bleeds and smearing, which can result from pressure or contact during handling. The retractable telescoping arms hold the roll spindles securely, ensuring no direct contact with the printed material.


Safety latches on the trolley hooks prevent accidental dislodging of the spindle and media roll during transportation. Additionally, a foam pad lines the media pocket, providing a protective cushion to prevent dents or impressions from hard surfaces that could lead to ink bleed.



There are 4 simple steps for using Foster's Dye Sub On-A-Roll® Lifter and Trolley from print to finish :


STEP 1:

Place the freshly printed roll onto the padded pocket of the Spindle Trolley, which accommodates rolls up to 15" in diameter and 126" wide. The padding extends 1" over each tray edge to prevent bumping against its pocket.




STEP 2:

Remove the spindle from the media roll and place it in the open spindle pocket.




STEP 3:

Insert the other spindle into the media roll.



STEP 4:

Use the Power Dye Sub On-A-Roll® Lifter to pick up the roll with the spindle and load it into the calendaring machine. The lifter arms are adjustable to hold rolls from 72" to 126" long. The safety latches on the hook arms secure the spindle to prevent it from falling out during transport.




Specifications:

Model #61538 Dye Spindle Trolley

The Spindle Trolley stores everything in one spot — no more laying spindles on the ground or leaning against the wall or other machines. It has three pockets on a steel frame with a weight capacity of 500 lbs. It has 4 swivel casters, is 84" long, and fits between the arms of the lifter when extended from 84" to 126".

- Load Capacity: 500 lbs.
- Dimensions: 84" L x 24.7" W x 31"H
- Wheel Diameter: 4"
- Casters: 4 locking swivel casters
- Shipping Weight: 265 lbs.





Specifications:

Model #61539 Dye Sub On-A-Roll® Lifter

Foster's Dye Sub On-A-Roll® Lifter's counterweight design has a low clearance of 1" with no front fork extensions to interfere with loading rolls into the calendaring machine. It provides motorized lifting/manual movement. Rechargeable battery plugs into any standard outlet.

- Load Capacity: 600 lbs.
- Load Center: 13"
- Raised Height: 62"
- Load Height: 5"

Dimensions

- Without Arms: 80"H x 27" W x 50 3/4" L
- With Arms retracted: 80"H x 78" W x 36" L
- With Arms extended: 80"H x 134 1/2" W x 36" L

Two fixed front casters, 2 rear swivel casters

- Wheel Diameter: 5" x 5"
- Shipping Weight: 1200 lbs.
- 600 lb. counterweight ballasts included

Features

- Lifting speed: 5" per second
- Arms adjust from 72" W to 126" W
- Heavy-duty C100 foot operated floor lock
- Heavy-duty 12V battery
- 3 position "Comfort Cushion" push handle

Warranty:

- 2-Year Warranty on mechanical parts
- 5-year Warranty on cross bars and frame
- 90-day Warranty on battery, charger, and electronics

For more information and to see Foster's entire line of Lifters, visit us at go-foster.com

***Go-foster.com / Toll-free 800-523-4855 (US and Canada only) / 267-413-6220
P. O. Box 389, Lafayette Hill, PA 19444 | customerservice@go.foster.com***